



Americas Styrenics LLC

Prior Cargo List Restrictions for Styrene Tank Truck Shipments

Unacceptable Prior Cargo List – General Materials or Types of Chemicals

General Name or Type	Examples
Adhesives	All Adhesives
Animal Oil	Beef Tallow, Sheep Tallow, etc.
Bases	e.g. Caustic, Caustic Soda, Sodium Hydroxide, etc.
Crude Oil	All Crude Oil, Including Oil Field Waste
Dark-colored Products	Asphalt, Tars, Dyes, Inks, etc.
High Chloride Organic Chemicals	e.g. Chloroform, Chlorinated Solvents, EDC, etc.
High Sulfur Organic Chemicals	Sulfides or Mercaptans (e.g. Dimethyl Sulfide, Methyl Mercaptan, etc.)
Latex	All Latex, Including Paints
Lube Oil	All Grades, Brands, and End Use (Motor, Diesel, any Lubricant)
Naphtha	All Naphthas
Natural Resin	Rosin, Balsam, Linseed Oil, etc.
Paint	Latex, Oil and Water-based
Reactive Monomers	Methyl Methacrylate, Vinyl Acetate Monomer, etc.
Strong Odor	Naphthalene, p-Dichlorobenzene, etc.
Synthetic Resin (<i>not water soluble</i>)	Synthetic Rubber, Silicones, etc.
Vegetable Oil	Sunflower, Olive, Cottonseed, Canola, Palm, etc.
Waxes	Synthetic and Petroleum-based

The following materials are acceptable as a prior cargo, but may have detrimental effects on Americas Styrenics Products. Residue from the prior load may contaminate the product and make it unsuitable for the customer's process.

Aviation Fuel	All Grades (e.g. Jet A-1, Jet A, etc.)
Diesel Fuel	All Grades, Including Low Sulfur
Fuel Oil	Marine Bunker Fuels, Heavy Pyrolysis Fuel, etc.
Gasoline	All Grades, Regular to Premium
Inorganic Acids	Mineral Acids (e.g. Hydrochloric Acid, Sulfuric Acid, etc.)
Organic Acids	Such as Glacial Acetic Acid, Vinegar, etc.
Oxygenates	Alcohols, Ketones, Glycols etc. (e.g. Isopropyl Alcohol, Acetone, Ethylene Glycol, etc.)
Synthetic Resin (<i>water soluble</i>)	Water-based Acrylics or Epoxies

**Call Customer Technical Service if a question arises: 832.616.7819
or contact your Americas Styrenics Account Management Specialist.**